Historic England Geophysical Survey Database Questionnaire	
Survey Details	
Name of Site:	
Sawtry Abbey	
County:	
Cambridgeshire	
NGR Grid Reference (Centre of	survey to nearest 100m):
TL 19746 82565	
Start Date:	End Date:
28 Mar 25	31 Mar 25
Geology at site (Drift and Solid)	:
Bedrock of Oxford Clay Formatio	n-Mudstone, with no superficial deposits



Enclosure:

24 BROOKLANDS AVENUE, CAMBRIDGE, CB2 8BU

Telephone 01223 582 749

www.historicengland.org.uk

Known archaeological Sites/Monuments covered by the survey

(Scheduled Monument No. or National Archaeological Record No. if known)

Sawtry Abbey (HLE 1013280)

Archaeological Sites/Monument types detected by survey

(Type and Period if known. "?" where any doubt).

Sawtry Abbey Monastic, Cistercian Order High & Late Medieval and early Tudor

Surveyor (Organisation, if applicable, otherwise individual responsible for the survey):

Sawtry History Society

Name of Client, if any:

N/A



24 BROOKLANDS AVENUE, CAMBRIDGE, CB2 8BU

Telephone 01223 582 749

www.historicengland.org.uk

Purpose of Survey:

The objective of this survey is to determine as far as reasonably possible the presence/absence, location, nature, extent, and significance of any surviving archaeological deposits within the area. It will also determine the accuracy of drawings made by Inskip Ladds and ascertain whether they are a true reflection of the earthworks or were influenced by what he expected.

A further objective is to expand the survey area beyond that previously surveyed – particularly west and south of the cloistral complex, and to survey the cloistral complex itself at a higher sampling density.

The survey will also resolve surveying errors manifest in the previous survey data through experience gained from numerous subsequent surveys undertaken on various other sites.

Location of:

a) Primary archive, i.e. raw data, electronic archive etc:

SHS Archaeological Digital Archive

b) Full Report:

OASIS



24 BROOKLANDS AVENUE, CAMBRIDGE, CB2 8BU

Telephone 01223 582 749

www.historicengland.org.uk

Technical Details

(Please fill out a separate sheet for each survey technique used)

Type of Survey (Use term from attached list or specify other):

Resistivity

Area Surveyed, if applicable (In hectares to one decimal place):

12,000m² (1.2ha)

Traverse Separation, if regular:

Reading/Sample Interval:

1m 1m

Type, Make and model of Instrumentation:

Geoscan Research RM85 Resistance Meter System and PA20 probe array assembly

For Resistivity Survey:

Probe configuration:

Twin probe

Probe Spacing:

0.5m

Land use <u>at the time of the survey</u> (Use term/terms from the attached list or specify other):

Grassland - Pasture



24 BROOKLANDS AVENUE, CAMBRIDGE, CB2 8BU

Telephone 01223 582 749

www.historicengland.org.uk

Historic England is subject to the Freedom of Information Act. 2000 (FOIA) and Environmental Information Regulations 2004 (EIR). All information held by the organisation will be accessible in response to an information request, unless one of the exemptions in the FOIA or EIR applies.

Technical Details

(Please fill out a separate sheet for each survey technique used)

Type of Survey (Use term from attached list or specify other):

Magnetometer (includes gradiometer)

Area Surveyed, if applicable (In hectares to one decimal place):

25,600m² (2.56ha)

Traverse Separation, if regular:

Reading/Sample Interval:

1m

0.25m

Type, Make and model of Instrumentation:

Bartington 601-2 (Gradiometer) sensors in a twin-pole with one metre separation assembly

For Resistivity Survey:

Probe configuration:

N/A

Probe Spacing:

N/A

Land use at the time of the survey (Use term/terms from the attached list or specify other):

Grassland - Pasture



24 BROOKLANDS AVENUE, CAMBRIDGE, CB2 8BU

Telephone 01223 582 749

www.historicengland.org.uk

Historic England is subject to the Freedom of Information Act. 2000 (FOIA) and Environmental Information Regulations 2004 (EIR). All information held by the organisation will be accessible in response to an information request, unless one of the exemptions in the FOIA or EIR applies.

Additional Remarks (Please mention any other technical aspects of the survey that
have not been covered by the above questions such as sampling strategy, non
standard technique, problems with equipment etc.):

List of terms for Survey Type

Magnetometer (includes gradiometer)

Resistivity

Resistivity Profile

Magnetic Susceptibility

Electro-Magnetic Survey

Ground Penetrating Radar

Other (please specify)



24 BROOKLANDS AVENUE, CAMBRIDGE, CB2 8BU

Telephone 01223 582 749

www.historicengland.org.uk

Historic England is subject to the Freedom of Information Act. 2000 (FOIA) and Environmental Information Regulations 2004 (EIR). All information held by the organisation will be accessible in response to an information request, unless one of the exemptions in the FOIA or EIR applies.

List of terms for Land Use:

Arable

Grassland - Pasture

Grassland - Undifferentiated

Heathland

Moorland

Coastland - Inter-Tidal

Coastland - Above High Water

Allotment

Archaeological Excavation

Garden

Lawn

Orchard

Park

Playing Field

Built-Over

Churchyard

Waste Ground

Woodland

Other (please specify)



24 BROOKLANDS AVENUE, CAMBRIDGE, CB2 8BU

Telephone 01223 582 749 www.historicengland.org.uk