Enclosure:

Historic England Geophysical Survey Database Questionnaire

Survey Details

Name of Site:

Hill Top, Alconbury Weston

County:

Cambridgeshire

NGR Grid Reference (Centre of survey to nearest 100m):

TL18374 77628

Start Date: End Date:

7 May 17 8 May 17

Geology at site (Drift and Solid):

Bedrock of Oxford Clay Formation-Mudstone Superficial Deposits of Oadby Member-Diamicton



www.historicengland.org.uk

Known archaeological Sites/Monuments covered by the survey

(Scheduled Monument No. or National Archaeological Record No. if known)

None

Archaeological Sites/Monument types detected by survey

(Type and Period if known. "?" where any doubt).

Iron-Age/Romano-British, circa 100 BC to AD 410

Surveyor (Organisation, if applicable, otherwise individual responsible for the survey):

Sawtry History Society

Name of Client, if any:

N/A



24 BROOKLANDS AVENUE, CAMBRIDGE, CB2 8BU

Telephone 01223 582 749

www.historicengland.org.uk

Purpose of Survey:

This survey follows on from the recent magnetometry survey in an endeavour to identify further evidence of structures and settlement activity.

Location of:

a) Primary archive, i.e. raw data, electronic archive etc:

SHS Archaeological Digital Archive

b) Full Report:

OASIS



24 BROOKLANDS AVENUE, CAMBRIDGE, CB2 8BU

Telephone 01223 582 749

www.historicengland.org.uk

Historic England is subject to the Freedom of Information Act. 2000 (FOIA) and Environmental Information Regulations 2004 (EIR). All information held by the organisation will be accessible in response to an information request, unless one of the exemptions in the FOIA or EIR applies.

Technical Details

(Please fill out a separate sheet for each survey technique used)

Type of Survey (Use term from attached list or specify other): Resistivity Area Surveyed, if applicable (In hectares to one decimal place): 1.2ha Traverse Separation, if regular: Reading/Sample Interval: 1m 1

Type, Make and model of Instrumentation:

Geoscan Research RM85 Resistance Meter System and PA20 probe array assembly

For Resistivity Survey:

Probe configuration:

Twin probe

Probe Spacing:

0.5m

Land use at the time of the survey (Use term/terms from the attached list or specify other):

Grassland - Pasture



24 BROOKLANDS AVENUE, CAMBRIDGE, CB2 8BU

Telephone 01223 582 749 www.historicengland.org.uk

Additional Remarks (Please mention any other technical aspects of the survey that have not been covered by the above questions such as sampling strategy, non standard technique, problems with equipment etc.):

None.



24 BROOKLANDS AVENUE, CAMBRIDGE, CB2 8BU

Telephone 01223 582 749

www.historicengland.org.uk

Historic England is subject to the Freedom of Information Act. 2000 (FOIA) and Environmental Information Regulations 2004 (EIR). All information held by the organisation will be accessible in response to an information request, unless one of the exemptions in the FOIA or EIR applies.

List of terms for Survey Type

Magnetometer (includes gradiometer)
Resistivity
Resistivity Profile
Magnetic Susceptibility
Electro-Magnetic Survey
Ground Penetrating Radar
Other (please specify)

List of terms for Land Use:

Arable

Grassland - Pasture

Grassland - Undifferentiated

Heathland

Moorland

Coastland - Inter-Tidal

Coastland - Above High Water

Allotment

Archaeological Excavation

Garden

Lawn

Orchard

Park

Playing Field

Built-Over

Churchyard

Waste Ground

Woodland

Other (please specify)



24 BROOKLANDS AVENUE, CAMBRIDGE, CB2 8BU

Telephone 01223 582 749 www.historicengland.org.uk